



Certificate of Analysis

Powered by Confident Cannabis

1 of 1

Nganic

Reno, NV 89511
ahavens1930@gmail.com
(775) 527-9540
Lic. #

Sample: 1705TSF0028.0681

Strain: Nganic Salve
Batch #: N/A; Lot #: N/A
Ordered: 05/11/2017; Sampled: 05/11/2017; Completed: 05/16/2017

Nganic Salve

Topical, Salve,



<LOQ
Total Potential THC

4.7%
Total Potential CBD

Cannabinoids

| Cannabinoid | LOQ | Mass | Mass |
|--------------|-----|------------|-----------|
| | % | % | mg/g |
| THCa | 0.1 | <LOQ | <LOQ |
| Δ9-THC | 0.1 | <LOQ | <LOQ |
| CBD | 0.1 | 4.5 | 45 |
| CBDa | 0.0 | 0.3 | 3 |
| CBC | 0.0 | 0.4 | 4 |
| CBG | 0.0 | <LOQ | <LOQ |
| CBN | 0.0 | 0.1 | 1 |
| THCV | 0.0 | 0.1 | 1 |
| CBGa | 0.0 | <LOQ | <LOQ |
| Total | | 5.4 | 54 |

Total Potential THC and CBD: Liquid chromatography occurs at room temperature and does not decarboxylate any cannabinoids, thereby yielding separate values for THCa, THC, CBDa and CBD, which are then combined to derive the Total Potential THC and Total Potential CBD result using the following formulae:

Total Potential THC = THCa * 0.877 + Δ9-THC

Total Potential CBD = CBDa * 0.877 + CBD

10 Greg St Ste. 148
Sparks, NV 89431
(844) 374-5227
<http://www.374labs.com>

Dr. Jeff Angermann
Scientific Director

Confident Cannabis
All Rights Reserved
(866) 506-5866
www.confidentcannabis.com



All pass limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Potency performed per SOP-000001, Terpenes performed per SOP-000002, Metals performed per SOP-000003, Microbial testing performed per SOP-000004, Pesticides performed per SOP-000005. Moisture per SOP-000006